


Figure 1



В

Figure 2




Figure 3




Figure 4, part I




Figure 4, part II




Figure 4, part III




Figure 5




Figure 6




Figure 7




Figure 8, part I





Figure 8, part II






Figure 9

```
MAGPATQSPMXLMALQLLLWHSALWTVQEA hom G-CSF
   MAQLSAQRRMKIMALQLLLWQSALWSGREA mouse G-CS
   TELGPASSLP - - - - - QSEELKCLEQUBKI hum G-CSF
   VPLVTVSALPPSLPLPRSTLLKSLEQVRKI mouse G-CS
  IPLLTVS SLPP SLPLP RS FLEX SLEQVRX I rat G-CSF
  TPLGPTSSLP----QSTLLKCLEQVRXV feline G-C
TPLGPARSLP-----QSTLLKCLEQVRXI bovine G-C
   APLSPASSLP - - - - - QSPLLKCLEQVEKI pig G-CSF
   Q G D G A A L Q E K L V S E C A T Y K L C H P E E L V L L G hum G-CSF
   QASSSVLLEQL - - CATYKLCHPEELVLLG mouse G-CS
QABNTELLEQL - - CATYKLCHPEELVLFG rat G-CS
   QADGAELQERL - - CAAHKLT HPEELVELG feline G-C
QADGAELQERL - - CAAHKT CHPEELMLLR booine G-C
   QADGAELQERL - - CATHKL CHP QELVLL G pig G-CSF
  HILGIPUAPLISCPS QALQLAGCLISQLHS G hum G-CSF
   H 3 L G 1 P K A 3 L 3 5 C 3 3 Q A L Q Q T Q C L 3 Q L H 3 G mouse G-C3 H 3 L G 1 P K A 3 L 3 5 C 3 3 Q A L Q Q T K C L 3 Q L H 3 G rae G-C3r
  HALGIP QAPLS SC SSQALQLT GCLRQLES G feline G-C
HSLGIP QAPLS SC SSQ SLQLT SCLBQLE G G bovine G-C
   HSLGLPQASLSSCSSQALQLTGCLNQLHGG pig G-CSP
115 LFLYQGLLQALEGISPELGPTLDTIQLDVA hum G-CSF
LLS L C LY Q G L L Q A L S G I S P A L A P T L D L L Q L D V A mouse G-CS
109 LFLYOULLOALAGISSELAPTLDMLHLDVD rat G-CSF
102 LFLYQGLLQALAGISPELAPTLDBLQLDIT feline G-C
103 LFLYQGLLQALAGISPELAPTLDTLQLDYT bovine G-C
103 L V L Y Q & L L Q & L & & I & P E L & P A L D I L Q L D V T pig G-CSF
145 DFATTIWQQMEELVMAPALQPTQGAMPAFA hom G-CSF
148 MFATTIWQQMENLGVAPTVQPTQSAMPAFT mouse G-CS
139 NEATTIWQQMESLEVAPTVQPTQSTMPIFT rat G-CSF
122 D. A. I. N. W. Q. W.E. D. V. G. M. A. P. A. V. P. T. Q. G. T. M. P. T. T. feline G-t.
133 D T A T N I W L Q M E D L C A A P A V Q P T Q C A M P T T T bovine G-C
133 DLATRIWLQMEDLRMAPASLPTQGTVPTFT pig G-CSF
175 SAFORRAGEVLVASHLQSFLEVSYRVLRHL hum G-CSF
178 SAFORRAGGVLAISYLOGFLETARLALHHI mouse G-CS
169 SAFORRAGGVLVTSYLOSFLETAHHALHHI rat G-CSF
162 3 A F Q R R A G G T L V A S R L Q 3 F L E V A Y R A L R H F feline G-C
163 SAFORRAGE VLVASQLHRFLELA YRGLRYL bovine G-C
163 SAFQRRACCVLVVSQLQSFLELAYRVLRYL pig G-CSF
205 A 0 P
208 A
                                                    mouse G-ES
199 P R P A Q X H F P E 3 L F I 3 I .
192 T X P
                                                    rat G-CSF
                                                    feline G-C
193 A E P
                                                    bovine G-C
193 A E P
                                                    piq G-CSF
```

Figure 10

INVGLGACTLTGVTL I FLLLPRSLESCGHI EI SP PVVRLGDPVLASCTI SP NCSKLDQQAK	lgcs†i ngcs†i rgcs†i(†rag)
IL WARL GAE- LOPGG ROORLSDGTO ESI I TEPHEN HTQAFESCCENWONSEOI EDOVEERA IL WARLODEPI OPGD ROHHEPDGTO ESEITTEPHENYTOAFEFCEVPWEDSVOLEDOAELHA IL WARLODEPNOPGD ROHHEPDGSO ESIITEPHENYTOAFEFCEVPWN NSFOVEDOAELRA	igesti nigesti rgesti(thag)
GYPPAI PHNUSCU MULTTSSLI COMEPGPETHUPTSFTUKSFKSRGNCQTQGDSI UDCVP GYPPASPSNUSCU MHUTTNSUVCOMEPGPETHUPTSFI UKSFRSRADCQYQGDTI PDCVA GCKSU QPPTHUUC	igesti nigesti nigesti (trag)
KDGQS HCC) PRKHL LLÝQNINGÍ VIV Ó A ENALGT SIMSPOLIČÍ DPINDVYKÍ EPPINLRTINDPSP KKRQNINCSI PRKNL LLÝQYINAI VIV QA ENINLGSS ESPIKLOL DPINDVYKL EPPINLQAL DI GP	lgcent mgcent rgcent(mag)
EAAPPQAGCLQLCWEPWQPGLHINQKCELRHKPQRGEASWALVGPLPLEALQYELCGLLP DVVSHQPGCLWLSWKPWKPSEYMEQECELRYQPQLKGANWTLVFHLPSSKDQFELCGLHQ	igosti nigosti rgosti(nag)
ATAYTLQIRCIRWP LPGHWSDWSPSLELRTTERAPTVRLDTWWRQRQLDPRTVQLFWK APVYTLQWRCIRSSLPGFWSPWSPGLQLRPTWKAPTIRLDTWCQKKQLDPGTVSVQLFWK	igest mgest rgest (flag)
PYPLE EDSGRI OGY VYSURPSGOAGAI L PLONTTELSCTFHL PSEAGEVAL VAY NSAGTS PTPLQ EDSGQI OGY LLSUNSPDHQGQDI HLCNTTQLSCI FLL PSEAGNYTL VAY NKAGTS	igos†i nigos†i rgos†i(†iag)
RPTPYVFSESRGPALTRLHAMARDPHSLWWGWEPPNPWPQGYVIEWGLGPPSASNSNKTW SPTTYVFLENEGPÄVTGLHAMAQDLNTIWWDWEAPSLLPQGYLIEWEMSSPSYNNSYKSW	igosti nigosti rgosti (trag)
RMEQNGRATGFÉL KENIRPFOLYETI VTPLYODT MGPSOHVÝ AYSOE MAPSHAPEĽHLKH Miepngnitgi ľíkoni něfoľyrí tvapľypgi vgppvnýy tragerápphápal hlkh	igesti ngesti rgesti (trag)
I GKTWAQLEWVPEP PELGKSPLTHYTI FWTNAQ NQSFSAI LNASSRGFÝLHGLEPÄSLYH VGTTWAQLEWVPEA PRLGMI PLTHYTI FWADAG DHSFSVTLNI SLHDFVLKHLEPASLYH	ligcant nigcant rgcant(mag)
I HLMA A SQAĞAT NSTVLTLMTLTPEGSELHI ILĞLEĞLLLLLTCLCGTAMLCCSPNRKNP VYLMA TSRAĞSTNSTĞLTLRTLDPSDLNIFLĞIL-CLVLLSTTCVVTMLCCKRRGKTS	igesti ngesti rgesti (frag)
LWPSVPDPAHSSLGSWYPTI MEEDAFQLPGLG TPPITKLTVLEEDEKKPVPWESHNS FWSDVPDPAHSSLSSWLPTI MTEETFQLPSFWDSSVPSITKI TELEED- KKPTHWDSE- S	lgcs†i mgcs†i rgcs†r(†iag)
SETCG LPTLVÓTYV LOĞÜPRAVST OPÖSGÉGTSÖÖVLYĞÖLÜ GSPTSPGVHYLRCÖSTÖ SGNGS LPALVÖAYV LÖĞDPREI SNOSOPPSRTG DOVLYGOVL ESPTSPGVHOYI RSDSTO	igest mgest rgest(thag)
PÍĽAGLTPSPKSYÉNLUFQASPLGTLVTPAPSÖEDDÖVFGPLLNFPLLÖGIRVHÖMBALĞ PLLGGPTPSPKSYENIWFHSRPQETFVPQPPNQEDDCVFGPPFDFPLFQGLQVHGVEEQĞ	lgcs†i ngcs†i rgcs†i(†hag)
SF GF	igesti mgesti rocstimach

Figure 11




Figure 12






Figure 13

Biotinylated G-CSF detected on blot via Streptavidin-HRP




A hours after injection



В

Figure 14






Figure 15




Figure 16

											_		_						_				_		_		_		_		_	_	_					_		
-									10									2	0									3(9									40	1	
_	_	_	_	-	_	_	_	М	t	L	L	v	Ŧ	-	-	3	L	L	L	C	E	L 1	P 1	H I	P ,2	\ I	. I	. I	. I	P	Ε	X	.3	D	L	R	T	v	٠,	hum gmcsfr2
M	T	3	3	H	Α	М	10	٠Ŧ	т	P	L	A	0	- '	L	A	L.	L	F	3	T :	L	LI	LJ	P 1	G 3	. (Q A	L	L	À	P	T	Т	P	-	-	-	•	nouse est 2
-	-	-	-	-	-	M	3	1	I	P	L	P	Q	L	L	y.	L	L	C	C	C	G :	L	A A		5 7		Ō C	F	T	D	·P	3	T	P	P	и	L	:	rat gmcsir
		_					_		_										_								_		_	_		_	_						-	
									50									1	50									7	0									80)	
_	70			-3	 Т.	. 19	57	R	Ť	ъ	-3	R	T	М	19	Ľ	3	พ-	╁	·c	Q	E	13	T	_		-,	rΤ	-	K	- c	F	L	T	D	ĸ	Ж	123		hum gmcsfr2
n	A	г.	3	A	T.	10	T.	·T	F	'n	P	W	T	R	T	L	T	ω:	A	C	D	T,	A.	ΑJ	G :	19 1	2 .	ΤS	7 7	. 3	C	T	v	T	3	R	E	À	. :	mouse csí ž
G	L	A	H	F	H	B	L	Ţ	F	·D	P	G	Ţ	W	T	L	3	ω	A	C	G	G	H	D 1	G		- ;	A T	7 6	3	C	T	V	1	D	Q	Ε	. A	•	rat gmcsir
_																									_					_								_	-	
									90	1								1	0 0	1								11	LO									12	0	
R	v	V	E	P	R	L	3	19	29	E	; C	3	С	T	Г	Ŕ	-	Ē	i	Ē:	Ŀ	H	E :	ē.	V	T	F :	E 1	7 1	iV	N	T	3	Q	R	ī	I	0	į	hum gmesirî
G.	I	Н	B	٠ -	R	V	- 3	P	F	G	·C	R	Ç.	ω	F	R	R	M	М	A	L	H	H	G.	v	T, I	L:	ו ס	נ ק	9 6	T	V	G	Ģ	A	A	. 2	·I	1	mouse csí 2
Ģ	Į	R	P	-	P	V	R	3	R	G	C	R	C	R	F	Q	-	P	H	E	L	H	R	Ģ.	V	D ?	Ļ	E	? ?	. G	D	K	G	H	À	Q	•	? I	ļ	rat gmrsir
_								_					_		_				-			_	_	_					_						_			_	-	
									13										40										50									16		
Q	ĸ	٠ī	. I.	. ¥	P	В	3	G	R	E	G	Т	A	À	Q	В	F	3	Ċ	r	I	Y	19	A	D	L	M :	29	С :	r G) A	R	G	P	T	A	1	F	3	hum gmasfrž
ω	R	L	. 3	T	V	Ņ	E	3	A	A	G	3	G	A	E	M,	L	T	C	Έ	I.	R	A	A	R,	F	L	3	C A	A . G) F	E	G	P	À	A	· I	? A	•	mouse est 2
Q	Т	L	. P	F	E	В	·E	ः G	À	P	G	3	Ģ	À	Ε	29,	L	T	Ċ	E	1	L	A	A	H	Į.	L.	C :	ני	ru	JA	v	· ·	₹₽	A	A		, 1	,	rat gmcsir
_					_	_			-	_					_		_		-										1						_			-	г	
									17										.8(90									20		
D	V	(Ý.	' F	I	Ÿ	I	R	18	. ; 3	ĸ	R	R	R	E	I	R	C	P	Ÿ	Ÿ	I	Q	D	3	Ģ	T	H '	V	G (. 1	I	I	K	I	. 3	Ţ	G I		ham gmcsfr2
D	V	I	¥	' 3	·I	: F	Ų	L	N	. 3	T	. C	H	D	V	A	R	Ç,	M	à	D	₽.	G:	D	-	D	V	I :	T	QI	: 1	À	. 15	I) I	3	1	ĿI		mouse est 2
Þ	Ι	I	Y	. 3	,I	·F	i Ņ	L	. D	A	Ţ	Ģ	H	E	·¥	÷	2	·Ç	3	A	A	¥	U	-	-	1	P	P	Τ.	к ,	. '	, ,	. د		, 1	, 1		U · 1	نا	rat gmcsfr
_			_		_				_					_	_					_	_							_	•										-	
									21										21						_			_	30									2 4		
T	3	I	3	1 5	·	L	. 17	15	1 - G	I	3	F	Ε	I	G	I	Q	F	F	D	2	L	L	D.	T	K	X	I	E	R I	. 1	1	Į	3	1	1 1		T	i?	hum gmcsfr2 mouse csf 2
G D	- 3	I		, ,	, 1	. V	, v	. 1	 		1 3		· A	T.	T.	V Sp	B	T	ب <u>ا</u> ۲.	្សា ក្រ	Ā	52	SŽ	K.	T	ĸ	G	ī	E	R.J	י ניו	. 1) I	1	9 5	,	3 /	n A	rat gmrsfr
	•	•	4 -6	• •				•	•	`			•. •	٠	_	٠		•	_	_	•••	. •			-		•	_		,	-					,	7			y
_			_						25	_									261					_					70										┲ 80	
	_	_					_					_	_	_	_	•••	_		٠.			_	_	_	_	**	_				E 1		, ,	0 9	-		n. i	_		hum gmcsfrt
- B			1 T	[]		1 (1 r	: L		, 14	i u	אנע מינו	i L	יו נ	3	1	Y Til	Ų.	3	ىلى: (12)	ं <u>३</u> - क	Y A	E	D.	F	Ŋ		·	÷,	E	υ. 12	0.1	6 J) :			נינ נינ	p :	G	Ś	mouse csf 2
-3	. c	. 1	9 1		1	1 (1	1	T	ū	3 2	I	P	P	T	W	Ä	P	М	T	E	Q	D	ŕ	R	-	-	F	E	i:	Ē,	0 1	K 1		١,	E -)	P	3	3	rat gmcsfr
																																							_	
									 29	0									30	0								3	310	ı								3	20	ı
F		, ,	-	_	, ,	9 5	, ,				1		a 12	· •	' 1K	l: F	P	3	- 1	F	-P	æ	A	ĸ	В	3	.V	ĸ	İ	B	A	A I	D 1	2 : 1	R	I :	L	19 : 1	Ü	hum gmcsfri
T	F	,	RÌ	K ii	, ,		,	, .		1	. 1	 	ľ	L	ā	ī	P	3	P	Ā	P	H	G	G	H	ĸ	v	ĸ	v	P	A :	G :	D.	r	ΒI	М :	ĸ	H	W	mouse esí 2
I	a		Q J	K::1	, 1	7	. 2	, at	, F	1	5 I	D :1	g a	F		T	P	. 3	P	A	P	R	G	R	L	W	V	R	v	R	A	G :	D :	r i	R	3 :	D	R.	ω	rat gmesir
_																			_																				_	
									33	0									34	0								:	350)								3	6()
3	_	J . I	o	3 1	Ε	Š :	[.]	: 1	7		3 1	D I	0 0	; B	1	. G	3	V	Ÿ	· I	¥	V	L	L	I	V	Ģ	T	Ţ.	¥:	C	G	I	¥;	L,	Ģ	F	L	F	hum gmesiri
G	E	2 1	י	3 1	p :	. 1	HI	2 1	L E	: 2	. 1	E 1	D 1	F	١ (F	G	A	Ĺ	L	·Υ	A	V	T	A	C.	A	v	L	L	C	A	L.	A :	L	G	v	\mathbf{T}	C	mouse csf 2
3	1) (W -	3]	Ρ.	A 1	LI	2 1	L		3 1	E į	A 1	. 1	. 1	F	, I	A	Ţ	. 1	L	A	A	3	3	Ċ	A	A	L	L	Ľ ·	A	L	A	L·	G.	À	A	C	rat gmcsfr
_	_	_	_						_				_						_	_				_	_				1		_			_			_		1	
									37										38							_			39										£0 :	
																																							G	hum gmesfr2
																												E												mouse csf 2
P	: 1	н :	L.	Α.	Ļ	3]	≓ ÷I	K.∫	LI	ا	۲. ا	٧.,	. 1	. (r. 1		5 4D	K	. 1	r 3	. 1	للد	Ľ	· H	:y	, id	. 4	E	€ 1 .	L,	K	n	. ע	، يد	1	ĸ	r	•		rat gmcsfr
_	_		_	_		_			-		-	_	_	_																										
									41	LO					_																									

K G Y R E E V L T V K E I T .

Figure 17

hum gmrsfrî mouse rsf î rat umrsfr

			
10)	20 3	40
			OKHVDAIKEAL rat o
MULQULLFLG			JKHVEAIKEAL mouse
WMT 62 LLL Le	TVACSISAP	ARSPSPSTQP	DEHVRAIQEAR hom o
51		60 7	0 80
			i_
SLLNDMRALE	BEKBEDVDI	I SMEF SIQRP	T C V Q T R L K L Y K rat o
			TTVQTRLKIFE mouse
			ICLQTRLELYK hum o
91) :	100 11	···
			120
QGLRGBLTXL	BGALTMIAS	HYQTBCPPTP	LO 120 ETD UE I E VITIF rate
Q G L R G N L T X L	N G A L T M I A S K G A L N M T A S	HYQTN CPPTP:	LO 120 ET-D CE I E V-TT F rat c
Q G L R G N L T X L	N G A L T M I A S K G A L N M T A S	HYQTN CPPTP:	LO 120 ETD UE I E VITIF rate
Q G L R G N L T X L	N G A L T M I A S K G A L N M T A S K G P L T M M A S	HYQTN CPPTP:	LO 120 ET-D CE I E V-TT F rat c
Q G L R G M L T K L Q G L R G M F T K L	NGALTMIAS KGPLTMMAS	HYQTN CPPTP: YYQTY CPPTP: HYK QH CPPTP:	LO 120 ETD CEIEVITT rate ETD CETQVITTY mouse ETSCATQIITT hum
Q G L R G M L T K L Q G L R G M F T K L Q G L R G S L T K L	M G A L T M I A S K G A L M M T A S K G P L T M M A S	HYQTMCPPTP: YYQTYCPPTP: HYKQHCPPTP:	LO 120 ETD CEIEVITT rate ETD CETQVITTY mouse ETSCATQIITF hum
Q G L R G M L T K L Q G L R G M F T K L	B G A L T M I A S K G A L B M T A S K G P L T M M A S O L F D I P F D C W L T D I P F E C X	HYQTMCPPTP: YYQTYCPPTP: HYKQHCPPTP: 140 KPVQK KPGQK	LO 120 ETD CEIEVITT rate ETD CETQVITTY mouse ETSCATQIITT hum

Figure 18




Figure 19, part I

Figure 19, part II




Figure 20




Figure 21

В

Figure 22




Figure 23